EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	9	(Address near2 lookup near2 algorithm) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 15:10
S4	950	(IP near2 address$3 storage) same (scheme or method or algorithm)	US-PGPUB; USPAT	SAME	ON	2007/04/03 15:44
S5	278	(IP near2 address$3 storage) with (scheme or method or algorithm or technique)	US-PGPUB; USPAT	SAME	ON	2007/04/03 15:44
S6	27	(IP near2 address$3 storage) near4 (scheme or method or algorithm or technique)	US-PGPUB; USPAT	SAME	ON	2007/04/03 15:50
S7	90	(IP near2 address$3 storage) near4 (scheme or method or algorithm or technique or management)	US-PGPUB; USPAT	SAME	ON	2007/04/03 15:46
S8	13	(IP near2 address$3 storage) near3 (scheme or method or algorithm or technique)	US-PGPUB; USPAT	SAME	ON	2007/04/03 15:54
S12	14	((IP adj1 address$3) near3 sort$3) with (technique or method or management)	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:23
S15	0	((construct or build) near3 (IP near2 address$3 near2 lookup)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:25
S16	239	((construct or build) near3 lookup) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:26
S17	221	(((construct or build) near3 lookup) near2 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:27
S18	0	(((construct or build) near3 (address adj2 ookup)) near2 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:28
S19	0	(((construct or build) near3 (address adj2 lookup)) near2 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:28
S20	296	(((construct or build) near3 (address$3 or lookup)) near2 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:29
S21	0	(((construct or build) near3 (address$3 adj1 lookup)) near2 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:29
S22	0	(((construct or build) near5 (address$3 adj1 lookup)) near2 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:30

S23	0	(((construct or build) near5 (address$3 adj1 lookup)) near4 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:30
S24	4	(((construct or build or create) near5 (address$3 adj1 lookup)) near4 (table or database)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:37
S25	6	(IP adj1 address adj1 storage near2 (technique or manag$5))	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:40
S26	6	(((IP adj1 address) near3 sorting) near3 (technique or method or algorithm or scheme))	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:45
S27	285	(longest adj1 prefix near2 (address or match)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:50
S28	1	(longest adj1 prefix near2 (address or match)) and @rlad<"20030721" and (leading adj1 bit)	US-PGPUB; USPAT	SAME	ON	2007/04/03 16:53
S29	13	(prefix near2 (address or match)) and @rlad<"20030721" and (leading adj1 bit)	US-PGPUB; USPAT	SAME	ON	2007/04/03 17:26
S31	372	((sort$3 or compress$3) with ((IP adj address$3) or (binary adj number))) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:36
S32	167	((sort$3 or compress$3) near4 ((IP adj address$3) or (binary adj number))) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:41
S33	6	((sort$3 or compress$3) near4 ((IP adj address$3) or (binary adj number))) and ((lead$3 or trail$3) near2 (bit or digit)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:38
S34	133	((sort$3 or compress$3) near4 (IP adj address$3)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:42
S35	77	((sort$3 or compress$3) near3 (IP adj address$3)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:42
S36	25	((sort$3 or compress$3) near3 (IP adj address$3)) and (lookup) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:45
S37	0	((sort$3 near3 (IP adj address$3)) with methold) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:47
S38	4	((sort$3 near3 (IP adj address$3)) with method) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:48

S39	45	((remov$3 or strip$3) near3 ((lead$3 or trail$3) near2 bit$1)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 16:00
S40	0	(((remov$3 or strip$3) near3 ((lead$3 or trail$3) near2 bit$1)) same (IP near2 address)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 15:52
S41	40	(sort near4 (IP adj address$3)) and @rlad<"20030721"	US-PGPUB; USPAT	SAME	ON	2007/04/05 16:10